


PLAN

All dimensions are millimeters, except as noted.

REVISIONS		CITY OF LONG BEACH, CALIFORNIA DEPARTMENT OF PUBLIC WORKS	STANDARD PLAN NO.
NO.	DATE		
1	06/11/98	BUS PULL-OUT BAY	METRIC 112
2	12/23/02		SHEET
3			1 OF 2
4			
APPROVED BY: <i>[Signature]</i>		DATE: 4/16/03	
CITY ENGINEER R.E. # 40599		EX. DATE 03/31/07	



SECTION A-A

NOTES:

1. Berth length shall be as shown for single bus stop, and 30.0 m (100') for double bus stops. Contact the Long Beach Transit Company for requirements.
2. Landing walk width shall be 3600 mm (12') minimum where shelters will be installed, 1800 mm (6') minimum at other locations.

All dimensions are millimeters, except as noted.

REVISIONS		CITY OF LONG BEACH, CALIFORNIA DEPARTMENT OF PUBLIC WORKS	STANDARD PLAN NO.
NO.	DATE		METRIC 112
1	06/11/98	BUS PULL-OUT BAY	SHEET 2 OF 2
2	12/23/02		
3			
4			
APPROVED BY: <i>[Signature]</i>		CITY ENGINEER P.E. No. 40599	DATE: 4/16/03 EX. DATE: 03/31/07