

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012333

Accuracy check date/time: 07/03/2008 14:28

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | | | | | |
|-----------------------|-------|---------------------|-------------------|-------|---------------|--------------------|------|
| Eeprom | Pass | Serial No. | Pass | Temp | Pass | Internal standards | Pass |
| Prom | Pass | Real Time clock | Pass | Motor | Pass | Printer | Pass |
| Ram | Pass | Auto calibration | Pass | Range | Pass | Digital voltmeter | 3425 |
| Check sum | 43404 | Download date/time: | 07/03/2008 | 14:39 | | Record ID | 3LB2 |
| Record imported (Y/N) | | Y | Source Diagnostic | | :LAPTOP COBRA | | |

Instrument serial No: 68-012333

Accuracy check date/time: 07/03/2008 14:36

First calibration check: .119

Interferent detected: No

Second calibration check: .120

Interferent detected: No

Concentration (%W/V) .124

Solution lot#: IRS020708

Soln temp C: 34.00

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 028

Operator G GOSSAGE

Diagnostics check

| | | | | | | |
|-----------------------|------------------|---------------------|--------------------|-------|---------------|------|
| Eeprom | Serial No. | Temp | Internal standards | | | |
| Prom | Real Time clock | Motor | Printer | | | |
| Ram | Auto calibration | Range | Digital voltmeter | | | |
| Check sum | 97430 | Download date/time: | 07/03/2008 | 14:39 | Record ID | 3L92 |
| Record imported (Y/N) | | Y | Source Calibration | | :LAPTOP COBRA | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012333

Accuracy check date/time: 07/06/2008 07:39

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator _____

Diagnostics check

| | | | | | | | |
|-----------------------|-------|---------------------|-------------------|-------|---------------|--------------------|------|
| Eeprom | Pass | Serial No. | Pass | Temp | Pass | Internal standards | Pass |
| Prom | Pass | Real Time clock | Pass | Motor | Pass | Printer | Pass |
| Ram | Pass | Auto calibration | Pass | Range | Pass | Digital voltmeter | 3449 |
| Check sum | 49500 | Download date/time: | 07/09/2008 | 14:15 | | Record ID | 3LT1 |
| Record imported (Y/N) | | Y | Source Diagnostic | | :LAPTOP COBRA | | |

Instrument serial No: 68-012333

Accuracy check date/time: 07/07/2008 17:40

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Radio frequency interference detected

Number of people tested since last periodic determination of accuracy:

Operator _____

Diagnostics check

| | | | | | | | |
|-----------------------|-------|---------------------|------------------|-------|---------------|--------------------|------|
| Eeprom | | Serial No. | | Temp | | Internal standards | |
| Prom | | Real Time clock | | Motor | | Printer | |
| Ram | | Auto calibration | | Range | | Digital voltmeter | |
| Check sum | 41588 | Download date/time: | 07/09/2008 | 14:15 | | Record ID | 3LW2 |
| Record imported (Y/N) | | Y | Source Exception | | :LAPTOP COBRA | | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012333 Accuracy check date/time: 07/09/2008 14:05

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | | | | | |
|-----------|-----------------------|---------------------|-------------------|---------------|------|--------------------|------|
| Eeprom | Pass | Serial No. | Pass | Temp | Pass | Internal standards | Pass |
| Prom | Pass | Real Time clock | Pass | Motor | Pass | Printer | Pass |
| Ram | Pass | Auto calibration | Pass | Range | Pass | Digital voltmeter | 3419 |
| Check sum | 94030 | Download date/time: | 07/09/2008 | 14:15 | | Record ID | 3LU2 |
| | Record imported (Y/N) | Y | Source Diagnostic | :LAPTOP COBRA | | | |

Instrument serial No: 68-012333 Accuracy check date/time: 07/09/2008 14:09

First calibration check: .121

Interferent detected: No

Second calibration check: .120

Interferent detected: No

Concentration (%W/V) .124

Solution lot#: IRS020708

Soln temp C: 34.01

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 036

Operator G GOSSAGE

Diagnostics check

| | | | | | | | |
|-----------|-----------------------|---------------------|--------------------|---------------|--|--------------------|------|
| Eeprom | | Serial No. | | Temp | | Internal standards | |
| Prom | | Real Time clock | | Motor | | Printer | |
| Ram | | Auto calibration | | Range | | Digital voltmeter | |
| Check sum | 64806 | Download date/time: | 07/09/2008 | 14:15 | | Record ID | 3LS4 |
| | Record imported (Y/N) | Y | Source Calibration | :LAPTOP COBRA | | | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012333

Accuracy check date/time: 07/09/2008 14:14

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator _____

Diagnostics check

| | | | | | | | |
|-------------------------|-------|---------------------|------------|---------------------------------|------|--------------------|------|
| Eeprom | Pass | Serial No. | Pass | Temp | Pass | Internal standards | Pass |
| Prom | Pass | Real Time clock | Pass | Motor | Pass | Printer | Pass |
| Ram | Pass | Auto calibration | Pass | Range | Pass | Digital voltmeter | 3417 |
| Check sum | 73400 | Download date/time: | 07/09/2008 | 14:15 | | Record ID | 3LV1 |
| Record imported (Y/N) Y | | | | Source Diagnostic :LAPTOP COBRA | | | |

Instrument serial No: 68-012333

Accuracy check date/time: 07/12/2008 16:20

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator _____

Diagnostics check

| | | | | | | | |
|-------------------------|-------|---------------------|------------|---------------------------------|------|--------------------|------|
| Eeprom | Pass | Serial No. | Pass | Temp | Pass | Internal standards | Pass |
| Prom | Pass | Real Time clock | Pass | Motor | Pass | Printer | Pass |
| Ram | Pass | Auto calibration | Pass | Range | Pass | Digital voltmeter | 3315 |
| Check sum | 46070 | Download date/time: | 07/17/2008 | 11:20 | | Record ID | 3MH1 |
| Record imported (Y/N) Y | | | | Source Diagnostic :LAPTOP COBRA | | | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012333

Accuracy check date/time: 07/16/2008 23:08

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator _____

Diagnostics check

| | | | | | | | |
|-----------------------|-------|---------------------|-------------------|-------|---------------|--------------------|------|
| Eeprom | Pass | Serial No. | Pass | Temp | Pass | Internal standards | Pass |
| Prom | Pass | Real Time clock | Pass | Motor | Pass | Printer | Pass |
| Ram | Pass | Auto calibration | Pass | Range | Pass | Digital voltmeter | 3365 |
| Check sum | 52115 | Download date/time: | 07/17/2008 | 11:20 | | Record ID | 3MI2 |
| Record imported (Y/N) | | Y | Source Diagnostic | | :LAPTOP COBRA | | |

Instrument serial No: 68-012333

Accuracy check date/time: 07/17/2008 11:00

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator _____

Diagnostics check

| | | | | | | | |
|-----------------------|-------|---------------------|-------------------|-------|---------------|--------------------|------|
| Eeprom | Pass | Serial No. | Pass | Temp | Pass | Internal standards | Pass |
| Prom | Pass | Real Time clock | Pass | Motor | Pass | Printer | Pass |
| Ram | Pass | Auto calibration | Pass | Range | Pass | Digital voltmeter | 3211 |
| Check sum | 15805 | Download date/time: | 07/17/2008 | 11:20 | | Record ID | 3MJ5 |
| Record imported (Y/N) | | Y | Source Diagnostic | | :LAPTOP COBRA | | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012333

Accuracy check date/time: 07/17/2008 11:13

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | | | | | |
|-----------|-----------------------|---------------------|-------------------|---------|-------|--------------------|------|
| Eeprom | Pass | Serial No. | Pass | Temp | Pass | Internal standards | Pass |
| Prom | Pass | Real Time clock | Pass | Motor | Pass | Printer | Pass |
| Ram | Pass | Auto calibration | Pass | Range | Pass | Digital voltmeter | 3320 |
| Check sum | 32770 | Download date/time: | 07/17/2008 | 11:20 | | Record ID | 3MK6 |
| | Record imported (Y/N) | Y | Source Diagnostic | :LAPTOP | COBRA | | |

Instrument serial No: 68-012333

Accuracy check date/time: 07/17/2008 11:16

First calibration check: .124

Interferent detected: No

Second calibration check: .124

Interferent detected: No

Concentration (%W/V) .124

Solution lot#: IRS020708

Soln temp C: 34.00

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE

Diagnostics check

| | | | | | |
|-----------|-----------------------|---------------------|--------------------|-----------|-------|
| Eeprom | Serial No. | Temp | Internal standards | | |
| Prom | Real Time clock | Motor | Printer | | |
| Ram | Auto calibration | Range | Digital voltmeter | | |
| Check sum | 55251 | Download date/time: | 07/17/2008 11:20 | Record ID | 3MG8 |
| | Record imported (Y/N) | Y | Source Calibration | :LAPTOP | COBRA |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012333

Accuracy check date/time: 07/20/2008 05:16

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Unstable reference

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 59516 | Download date/time: 07/25/2008 | 08:01 | Record ID 3MW5 |
| Record imported (Y/N) Y | Source Exception | :LAPTOP COBRA | |

Instrument serial No: 68-012333

Accuracy check date/time: 07/20/2008 05:24

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Radio frequency interference detected

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 25080 | Download date/time: 07/25/2008 | 08:01 | Record ID 3MX0 |
| Record imported (Y/N) Y | Source Exception | :LAPTOP COBRA | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012333 Accuracy check date/time: 07/21/2008 22:47

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Unstable reference

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 88750 | Download date/time: 07/25/2008 | 08:01 | Record ID 3MY9 |
| Record imported (Y/N) Y | Source Exception | :LAPTOP COBRA | |

Instrument serial No: 68-012333 Accuracy check date/time: 07/21/2008 22:51

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Invalid sample

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 49992 | Download date/time: 07/25/2008 | 08:01 | Record ID 3MZ4 |
| Record imported (Y/N) Y | Source Exception | :LAPTOP COBRA | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012333

Accuracy check date/time: 07/25/2008 01:16

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Radio frequency interference detected

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 83780 | Download date/time: 07/25/2008 | 08:01 | Record ID 3N05 |
| Record imported (Y/N) Y | Source Exception | :LAPTOP COBRA | |

Instrument serial No: 68-012333

Accuracy check date/time: 07/25/2008 02:17

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Invalid sample

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 61600 | Download date/time: 07/25/2008 | 08:01 | Record ID 3N16 |
| Record imported (Y/N) Y | Source Exception | :LAPTOP COBRA | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012333 Accuracy check date/time: 07/25/2008 07:59

First calibration check: .115

Interferent detected: No

Second calibration check: .116

Interferent detected: No

Concentration (%W/V) .124 Solution lot#: IRS020708

Soln temp C: 34.05
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 049

Operator G GOSSAGE

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 53908 | Download date/time: 07/25/2008 | 08:01 | Record ID 3MV6 |
| Record imported (Y/N) Y | Source Calibration | :LAPTOP COBRA | |

Instrument serial No: 68-012333 Accuracy check date/time: 07/26/2008 05:25

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V) Solution lot#:

Soln temp C:
Simulator Ser No.

Radio frequency interference detected

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 50400 | Download date/time: 08/01/2008 | 12:58 | Record ID 3N89 |
| Record imported (Y/N) Y | Source Exception | :LAPTOP COBRA | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012333

Accuracy check date/time: 07/26/2008 15:19

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Invalid sample

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 24755 | Download date/time: 08/01/2008 | 12:58 | Record ID 3N90 |
| Record imported (Y/N) Y | Source Exception | :LAPTOP COBRA | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.