

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012321

Accuracy check date/time: 11/01/2008 02:48

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Unstable reference

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 50611 | Download date/time: 11/02/2008 | 01:40 | Record ID 3ST0 |
| Record imported (Y/N) Y | Source Exception | :LAPTOP COBRA | |

Instrument serial No: 68-012321

Accuracy check date/time: 11/01/2008 04:49

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Invalid sample

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 29602 | Download date/time: 11/02/2008 | 01:40 | Record ID 3SU5 |
| Record imported (Y/N) Y | Source Exception | :LAPTOP COBRA | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012321 Accuracy check date/time: 11/02/2008 01:42

First calibration check: .119

Interferent detected: No

Second calibration check: .121

Interferent detected: No

Concentration (%W/V) .124 Solution lot#: IRS020708

Soln temp C: 34.03
Simulator Ser No. DR3707

CHANGED TIME FROM 0240 TO 0140

Number of people tested since last periodic determination of accuracy: 033

Operator G GOSSAGE 7885

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 42479 | Download date/time: 11/02/2008 | 01:43 | Record ID 3SV2 |
| Record imported (Y/N) Y | Source Calibration | :LAPTOP COBRA | |

Instrument serial No: 68-012321 Accuracy check date/time: 11/06/2008 02:49

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V) Solution lot#:

Soln temp C:
Simulator Ser No.

Invalid sample

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 75750 | Download date/time: 11/07/2008 | 11:59 | Record ID 3WX8 |
| Record imported (Y/N) Y | Source Exception | :LAPTOP COBRA | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012321

Accuracy check date/time: 11/07/2008 11:57

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator _____

Diagnostics check

| | | | | | | | |
|-----------|-------|-----------------------|------------|-------------------|------|--------------------|---------------|
| Eeprom | Pass | Serial No. | Pass | Temp | Pass | Internal standards | Pass |
| Prom | Pass | Real Time clock | Pass | Motor | Pass | Printer | Pass |
| Ram | Pass | Auto calibration | Pass | Range | Pass | Digital voltmeter | 3457 |
| Check sum | 22158 | Download date/time: | 11/07/2008 | 11:59 | | Record ID | 3WW1 |
| | | Record imported (Y/N) | Y | Source Diagnostic | | | :LAPTOP COBRA |

Instrument serial No: 68-012321

Accuracy check date/time: 11/07/2008 11:59

First calibration check: .000

Interferent detected: No

Second calibration check: .120

Interferent detected: No

Concentration (%W/V) .124

Solution lot#: IRS020708

Soln temp C: 34.02

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 020

Operator G GOSSAGE 7885

Diagnostics check

| | | | | | | | |
|-----------|-------|-----------------------|------------|--------------------|--|--------------------|---------------|
| Eeprom | | Serial No. | | Temp | | Internal standards | |
| Prom | | Real Time clock | | Motor | | Printer | |
| Ram | | Auto calibration | | Range | | Digital voltmeter | |
| Check sum | 18926 | Download date/time: | 11/07/2008 | 12:04 | | Record ID | 3X00 |
| | | Record imported (Y/N) | Y | Source Calibration | | | :LAPTOP COBRA |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012321 Accuracy check date/time: 11/07/2008 12:01

First calibration check: .120

Interferent detected: No

Second calibration check: .122

Interferent detected: No

Concentration (%W/V) .124 Solution lot#: IRS020708

Soln temp C: 34.01
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 14073 | Download date/time: 11/07/2008 | 12:04 | Record ID 3X13 |
| Record imported (Y/N) Y | Source Calibration | :LAPTOP COBRA | |

Instrument serial No: 68-012321 Accuracy check date/time: 11/12/2008 04:12

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V) Solution lot#:

Soln temp C:
Simulator Ser No.

Invalid sample

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 48176 | Download date/time: 11/14/2008 | 13:15 | Record ID 3X62 |
| Record imported (Y/N) Y | Source Exception | :LAPTOP COBRA | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012321

Accuracy check date/time: 11/14/2008 12:59

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Ambient air condition

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 60678 | Download date/time: 11/14/2008 | 13:15 | Record ID 3X75 |
| Record imported (Y/N) Y | Source Exception | :LAPTOP COBRA | |

Instrument serial No: 68-012321

Accuracy check date/time: 11/14/2008 13:12

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | | | | | |
|-------------------------|--------------------------------|------------------|----------------|-------|------|--------------------|------|
| Eeprom | Pass | Serial No. | Pass | Temp | Pass | Internal standards | Pass |
| Prom | Pass | Real Time clock | Pass | Motor | Pass | Printer | Pass |
| Ram | Pass | Auto calibration | Pass | Range | Pass | Digital voltmeter | 3486 |
| Check sum 19722 | Download date/time: 11/14/2008 | 13:15 | Record ID 3X51 | | | | |
| Record imported (Y/N) Y | Source Diagnostic | :LAPTOP COBRA | | | | | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012321 Accuracy check date/time: 11/14/2008 13:14

First calibration check: .118

Interferent detected: No

Second calibration check: .120

Interferent detected: No

Concentration (%W/V) .124 Solution lot#: IRS020708

Soln temp C: 34.03
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 026

Operator G GOSSAGE 7885

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 24578 | Download date/time: 11/14/2008 | 13:15 | Record ID 3X48 |
| Record imported (Y/N) Y | Source Calibration | :LAPTOP COBRA | |

Instrument serial No: 68-012321 Accuracy check date/time: 11/20/2008 16:54

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V) Solution lot#:

Soln temp C:
Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | | | | | |
|-------------------------|--------------------------------|------------------|----------------|-------|------|--------------------|------|
| Eeprom | Pass | Serial No. | Pass | Temp | Pass | Internal standards | Pass |
| Prom | Pass | Real Time clock | Pass | Motor | Pass | Printer | Pass |
| Ram | Pass | Auto calibration | Pass | Range | Pass | Digital voltmeter | 3511 |
| Check sum 18824 | Download date/time: 11/21/2008 | 11:57 | Record ID 3XA6 | | | | |
| Record imported (Y/N) Y | Source Diagnostic | :LAPTOP COBRA | | | | | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012321

Accuracy check date/time: 11/21/2008 11:55

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | | | | | |
|-----------|-----------------------|---------------------|-------------------|---------|-------|--------------------|------|
| Eeprom | Pass | Serial No. | Pass | Temp | Pass | Internal standards | Pass |
| Prom | Pass | Real Time clock | Pass | Motor | Pass | Printer | Pass |
| Ram | Pass | Auto calibration | Pass | Range | Pass | Digital voltmeter | 3511 |
| Check sum | 17555 | Download date/time: | 11/21/2008 | 11:57 | | Record ID | 3XB7 |
| | Record imported (Y/N) | Y | Source Diagnostic | :LAPTOP | COBRA | | |

Instrument serial No: 68-012321

Accuracy check date/time: 11/21/2008 12:02

First calibration check: .114

Interferent detected: No

Second calibration check: .116

Interferent detected: No

Concentration (%W/V) .124

Solution lot#: IRS020708

Soln temp C: 34.03

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 022

Operator G GOSSAGE 7885

Diagnostics check

| | | | | | | | |
|-----------|-----------------------|---------------------|--------------------|---------|-------|--------------------|------|
| Eeprom | | Serial No. | | Temp | | Internal standards | |
| Prom | | Real Time clock | | Motor | | Printer | |
| Ram | | Auto calibration | | Range | | Digital voltmeter | |
| Check sum | 29009 | Download date/time: | 11/21/2008 | 12:02 | | Record ID | 3XD5 |
| | Record imported (Y/N) | Y | Source Calibration | :LAPTOP | COBRA | | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012321

Accuracy check date/time: 11/22/2008 20:34

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Invalid sample

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 51455 | Download date/time: 11/28/2008 | 10:44 | Record ID 3XJ7 |
| Record imported (Y/N) Y | Source Exception | :LAPTOP COBRA | |

Instrument serial No: 68-012321

Accuracy check date/time: 11/23/2008 02:08

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Invalid sample

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 62797 | Download date/time: 11/28/2008 | 10:44 | Record ID 3XK0 |
| Record imported (Y/N) Y | Source Exception | :LAPTOP COBRA | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012321 Accuracy check date/time: 11/23/2008 15:48

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Radio frequency interference detected

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 43149 | Download date/time: 11/28/2008 | 10:44 | Record ID 3XL5 |
| Record imported (Y/N) Y | Source Exception | :LAPTOP COBRA | |

Instrument serial No: 68-012321 Accuracy check date/time: 11/26/2008 01:54

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Invalid sample

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 20120 | Download date/time: 11/28/2008 | 10:44 | Record ID 3XM8 |
| Record imported (Y/N) Y | Source Exception | :LAPTOP COBRA | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012321

Accuracy check date/time: 11/27/2008 02:55

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Invalid sample

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 22861 | Download date/time: 11/28/2008 | 10:44 | Record ID 3XN9 |
| Record imported (Y/N) Y | Source Exception | :LAPTOP COBRA | |

Instrument serial No: 68-012321

Accuracy check date/time: 11/27/2008 21:04

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | | | | | |
|-------------------------|--------------------------------|------------------|----------------|-------|------|--------------------|------|
| Eeprom | Pass | Serial No. | Pass | Temp | Pass | Internal standards | Pass |
| Prom | Pass | Real Time clock | Pass | Motor | Pass | Printer | Pass |
| Ram | Pass | Auto calibration | Pass | Range | Pass | Digital voltmeter | 3551 |
| Check sum 45501 | Download date/time: 11/28/2008 | 10:44 | Record ID 3XH3 | | | | |
| Record imported (Y/N) Y | Source Diagnostic | :LAPTOP COBRA | | | | | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012321

Accuracy check date/time: 11/28/2008 10:42

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | | | | | |
|-----------------------|-------|---------------------|------------|-------------------|---------------|--------------------|------|
| Eeprom | Pass | Serial No. | Pass | Temp | Pass | Internal standards | Pass |
| Prom | Pass | Real Time clock | Pass | Motor | Pass | Printer | Pass |
| Ram | Pass | Auto calibration | Pass | Range | Pass | Digital voltmeter | 3593 |
| Check sum | 62480 | Download date/time: | 11/28/2008 | 10:44 | | Record ID | 3XI6 |
| Record imported (Y/N) | | | Y | Source Diagnostic | :LAPTOP COBRA | | |

Instrument serial No: 68-012321

Accuracy check date/time: 11/28/2008 10:46

First calibration check: .121

Interferent detected: No

Second calibration check: .122

Interferent detected: No

Concentration (%W/V) .124

Solution lot#: IRS020708

Soln temp C: 34.02

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 031

Operator G GOSSAGE 7885

Diagnostics check

| | | | | | | | |
|-----------------------|-------|---------------------|------------|--------------------|---------------|--------------------|------|
| Eeprom | | Serial No. | | Temp | | Internal standards | |
| Prom | | Real Time clock | | Motor | | Printer | |
| Ram | | Auto calibration | | Range | | Digital voltmeter | |
| Check sum | 21678 | Download date/time: | 11/28/2008 | 10:46 | | Record ID | 3XO2 |
| Record imported (Y/N) | | | Y | Source Calibration | :LAPTOP COBRA | | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department
Crime Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012321

Accuracy check date/time: 11/29/2008 14:11

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Unstable reference

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

| | | | |
|-------------------------|--------------------------------|---------------|--------------------|
| Eeprom | Serial No. | Temp | Internal standards |
| Prom | Real Time clock | Motor | Printer |
| Ram | Auto calibration | Range | Digital voltmeter |
| Check sum 30416 | Download date/time: 12/05/2008 | 12:40 | Record ID 3XU3 |
| Record imported (Y/N) Y | Source Exception | :LAPTOP COBRA | |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.