

ZIKA FACT SHEET: WHAT YOU NEED TO KNOW



■ WHAT IS ZIKA VIRUS?

Zika is a virus that is spread to people primarily through the bite of an infected *Aedes* species mosquito (*Ae. Aegypti* and *Ae. albopictus*). Zika is mainly found in Central and South America, the Caribbean, Mexico, tropical Africa, Southeast Asia, and the Pacific Islands, although local transmission of Zika has occurred in the United States in Florida and Texas.

■ HOW DO PEOPLE GET ZIKA VIRUS?

Zika virus is mainly spread through the bite of an infected mosquito. The mosquitoes that transmit Zika are aggressive daytime biters that like to lay eggs in small, water-holding containers and live in and around households.

Zika virus can also be passed from a mother to her baby during pregnancy or around the time of birth. Infection during pregnancy can result in birth defects. **If you are pregnant and develop symptoms within 2 weeks after travelling to a country where Zika is occurring, it is important to tell your doctor where and when you travelled.**

Zika virus can also be spread through vaginal, oral and anal sex. Even when the person is not experiencing any symptoms, it is still possible for the virus to be transmitted. **If you are pregnant and you have had unprotected sex with your partner, who recently traveled to an area where Zika is occurring, it is important to tell your doctor where and when they travelled.**

■ IS THERE A VACCINE TO PREVENT ZIKA VIRUS?

Currently, there is no vaccine to prevent Zika virus infection.

■ WHAT ARE THE SYMPTOMS OF ZIKA VIRUS?

Most people infected with Zika virus have no symptoms.

If symptoms do develop, they are usually mild. The most common are:

- Fever
- Rash
- Joint Pain
- Conjunctivitis (red eyes)
- Muscle Pain

Symptoms usually begin 3 to 7 days after being bitten by an infected mosquito and can last for several days to a week. Severe symptoms requiring hospitalization are uncommon and death is rare.

If you are sick with a fever, rash, joint pain, muscle pain or red eyes after returning from an area where Zika virus occurs, then contact your healthcare provider and avoid mosquito bites to help prevent the possible spread of the virus to others.

■ HOW IS ZIKA VIRUS DIAGNOSED?

If you develop symptoms of fever, rash, joint pain, muscle pain or red eyes, then see your doctor. If you have recently travelled, your doctor may order blood tests to look for Zika virus or similar viruses, like dengue or chikungunya.

CONTROLLING THE BREEDING SITES OF Aedes MOSQUITOES CAN REDUCE THE SPREAD OF ZIKA VIRUS.

IF YOU ARE SICK WITH ZIKA, THEN PROTECT YOURSELF AND OTHERS FROM MOSQUITO BITES DURING THE FIRST WEEK OF ILLNESS.

■ IS THERE TREATMENT FOR ZIKA?

There is no specific treatment for Zika virus. Talk with your healthcare provider about medications to help reduce fever and pain. They may also recommend getting plenty of rest, drinking fluids to prevent dehydration.

■ WHAT SHOULD I DO IF I HAVE ZIKA?

During the first week of infection, it is important to take steps to protect yourself from being bitten by mosquitoes. If an *Aedes* mosquito bites you while you have Zika, the mosquito can become infected with the virus and then pass the virus to others. If you are sick with Zika, avoid mosquito bites to help prevent the possible spread of the virus.

If you are pregnant, tell your doctor where and when you travelled. If you have travelled to an area where Zika virus is ongoing, and your partner is pregnant, it is recommended that you abstain from sexual activity or consistently and correctly use condoms during sexual activity for the duration of the pregnancy.

■ WHAT IS KNOWN ABOUT ZIKA AND PREGNANCY?

If a pregnant woman becomes infected with Zika virus, her baby may be born with severe birth defects, including microcephaly, which is a birth defect causing the baby's head to be smaller than expected.

Until more is known, the CDC recommends that women who are pregnant, or who may become pregnant, postpone travel to any area where the spread of Zika virus is ongoing. If you must travel to a high risk area, then talk to your healthcare provider first and take steps to prevent mosquito bites during your trip.

■ WHAT COUNTRIES HAVE ZIKA VIRUS?

Specific areas where Zika virus is ongoing change often. For the most up to date information, visit the CDC Zika Travel page at: <https://www.cdc.gov/zika/geo/active-countries.html>

No **locally-acquired** Zika cases have been identified to date. Zika virus has not been found in any mosquitoes in Southern California. Zika virus infections have only been found in those who were infected while traveling outside the U.S.

■ ARE Aedes MOSQUITOES IN LONG BEACH?

No. *Aedes* mosquitoes have not been detected in Long Beach, although they have been found in neighboring cities. The City of Long Beach regularly monitors for *Aedes* mosquitoes and tests for mosquito-borne diseases.

■ HOW CAN I PROTECT AGAINST ZIKA VIRUS?

In areas where Zika virus is present, everyone should protect themselves from mosquito bites. Using insect repellent is safe and effective. **Pregnant women and women who are breastfeeding can and should use an EPA-registered insect repellent as directed by the product label.**

To prevent mosquito bites, you can also wear long-sleeved shirts and long pants, remove standing water in areas in and around your home weekly, and use window and door screens in your home.

Please contact the **City of Long Beach Zika Virus Hotline** at **(562) 570-7907** if you notice an unusual number of mosquitoes or if you are being bitten during the day.

■ WHERE CAN I LEARN MORE ABOUT ZIKA?

City of Long Beach Department of Health and Human Services
<http://www.longbeach.gov/health/diseases-and-condition/information-on/zika/>

California Department of Public Health:
<http://www.cdph.ca.gov/HEALTHINFO/DISCOND/Pages/Zika.aspx>

U.S. Centers for Disease Control and Prevention:
<http://www.cdc.gov/zika/>

■ IS ZIKA VIRUS IN SOUTHERN CALIFORNIA?